

**MIL-STD-187-700**  
**1 JUNE 1992**

**CONTENTS**

| <u>PARAGRAPH</u> |  | <u>PAGE</u> |
|------------------|--|-------------|
| 1.               | SCOPE .....  | 1           |
| 1.1              | Purpose .....  | 1           |
| 1.2              | Applicability .....                                    | 11.3        |
| 1.4              | System standards and design objectives .....           | 1           |
| 1.5              | Standards action areas .....                           | 2           |
| 1.6              | DIS framework .....                                    | 2           |
| 2.               | APPLICABLE DOCUMENTS .....                             | 5           |
| 2.1              | Government documents .....                             | 5           |
| 2.1.1            | Standards .....  | 5           |
| 2.1.2            | Military specifications .....                          | 9           |
| 2.1.3            | Military handbooks .....                               | 9           |
| 2.1.4            | Other DoD publications .....                           | 10          |
| 2.1.5            | Standardization Agreements (STANAG) .....              | 10          |
| 2.1.6            | NIST publications .....                                | 13          |
| 2.2              | Nongovernment documents .....                          | 14          |
| 2.2.1            | CCITT recommendations .....                            | 14          |
| 2.2.2            | ANSI standards .....                                   | 17          |
| 2.2.3            | ISO/IEC documents .....                                | 18          |
| 2.2.4            | IEEE standards .....                                   | 24          |
| 2.2.5            | Request for comments .....                             | 24          |
| 2.2.6            | Electronic Industries Association .....                | 24          |
| 2.3              | Order of precedence .....                              | 25          |
| 3.               | DEFINITIONS .....                                      | 27          |
| 3.1              | Definition of terms .....                              | 27          |
| 3.2              | Acronyms and abbreviations used in this standard ..... | 28          |
| 4.               | GENERAL REQUIREMENTS .....                             | 41          |
| 4.1              | System requirements .....                              | 41          |
| 4.1.1            | End-to-end digital service .....                       | 41          |
| 4.1.2            | Signaling .....  | 41          |
| 4.1.2.1          | Intranetwork .....                                     | 41          |
| 4.1.2.2          | User-to-network signaling .....                        | 41          |
| 4.1.2.3          | User-to-user signaling .....                           | 43          |
| 4.1.3            | Internet and gateway functions .....                   | 43          |
| 4.1.4            | Subscriber services .....                              | 43          |
| 4.1.5            | Voice digitization .....                               | 43          |
| 4.1.6            | End-to-end secure voice service .....                  | 44          |
| 4.1.7            | Rate adaptation .....                                  | 44          |
| 4.1.8            | Dedicated circuits .....                               | 45          |
| 4.2              | Information-transfer utility system parameters ..      | 45          |
| 4.2.1            | Information bearer channels .....                      | 45          |

Ob:

**MIL-STD-187-700**  
**1 JUNE 1992**

**CONTENTS**

| <u>PARAGRAPH</u> |  | <u>PAGE</u> |
|------------------|--|-------------|
| 4.2.2            | Timing and synchronization .....   | 46          |
| 4.2.2.1          | Reference point A .....  | 46          |
| 4.2.2.2          | Reference point B .....  | 46          |
| 4.2.2.3          | Coordinated Universal Time .....   | 46          |
| 4.2.3            | System performance .....   | 46          |
| 4.2.4            | Network management .....   | 46          |
| 4.3              | Common requirements .....  | 47          |
| 4.3.1            | Information security .....   | 47          |
| 4.3.1.1          | Communications security .....  | 47          |
| 4.3.1.1.1        | Cryptosecurity .....   | 47          |
| 4.3.1.1.2        | Transmission security .....  | 48          |
| 4.3.1.1.3        | Emission security .....  | 48          |
| 4.3.1.1.4        | Physical security .....  | 48          |
| 4.3.1.2          | Computer security .....  | 48          |
| 4.3.2            | Electromagnetic compatibility .....  | 48          |
| 4.3.3            | Electronic warfare vulnerability and electronic counter-countermeasures capabilities ..... | 48          |
| 4.3.3.1          | Determining the electronic warfare technical threat .....                                  | 48          |
| 4.3.3.2          | Analyzing electronic warfare vulnerability .....   | 49          |
| 4.3.3.3          | Developing electronic counter-countermeasures techniques .....                             | 49          |
| 4.3.4            | Human engineering design .....   | 49          |
| 4.3.5            | Reliability .....  | 49          |
| 4.3.6            | Maintainability .....  | 49          |
| 4.3.7            | Survivability .....  | 49          |
| 4.3.8            | Climatic conditions .....  | 50          |
| 4.3.9            | Environmental test methods .....   | 50          |
| 4.3.10           | Electrical measurement and test methods .....  | 50          |
| 4.3.11           | Grounding, bonding, and shielding .....  | 50          |
| 4.3.12           | Radio regulations .....  | 50          |
| 4.3.13           | Radio frequency spectrum characteristics .....   | 51          |
| 4.3.14           | Conformance testing .....  | 51          |
| 4.3.15           | Interoperability testing .....   | 51          |
| 4.4              | Subsystem design considerations .....  | 51          |
| 4.4.1            | Terminal subsystems .....  | 51          |
| 4.4.1.1          | Tactical terminal subsystems .....   | 51          |
| 4.4.1.2          | Long-haul digital terminal subsystems .....  | 51          |
| 4.4.1.3          | Facsimile subsystems .....   | 51          |
| 4.4.1.4          | Tactical digital information links .....   | 51          |
| 4.4.1.4.1        | TADIL A subsystems .....   | 51          |
| 4.4.1.4.2        | TADIL B subsystems .....   | 51          |
| 4.4.1.4.3        | TADIL C subsystems .....   | 52          |

**MIL-STD-187-700**  
**1 JUNE 1992**

**CONTENTS**

| <u>PARAGRAPH</u> | <u>PAGE</u>   |
|------------------|---|
| 4.4.1.4.4        | TADIL J subsystems ..... 52   |
| 4.4.1.4.5        | ATDL-1 subsystems ..... 52  |
| 4.4.2            | Transmission subsystems ..... 52  |
| 4.4.2.1          | Long-haul transmission subsystems ..... 52  |
| 4.4.2.2          | Tactical transmission subsystems ..... 52   |
| 4.4.2.3          | Fiber optic communications subsystems ..... 52  |
| 4.4.2.4          | Metallic lines transmission subsystems ..... 52   |
| 4.4.2.5          | Radio relay subsystems ..... 52   |
| 4.4.2.5.1        | Long-haul line-of-sight transmission<br>subsystems ..... 52                                 |
| 4.4.2.5.2        | Satellite transmission subsystems ..... 52  |
| 4.4.2.6          | Radio subsystems operating in medium<br>frequency and lower bands ..... 52                  |
| 4.4.2.7          | High frequency radio subsystems ..... 53  |
| 4.4.2.8          | Very high frequency radio subsystems ..... 53   |
| 4.4.2.9          | Ultra high frequency radio subsystems ..... 53  |
| 4.4.2.10         | Super high frequency radio subsystems ..... 53  |
| 4.4.2.11         | Extremely high frequency radio subsystems ..... 53  |
| 4.4.2.12         | Single-channel-radio to switched-system<br>interfaces ..... 53                              |
| 4.5              | Functional interface requirements ..... 53  |
| 4.5.1            | Scenario ..... 53   |
| 4.5.2            | Network elements ..... 54   |
| 4.5.2.1          | Subscriber network elements ..... 54  |
| 4.5.2.2          | Local-network elements ..... 56   |
| 4.5.2.3          | Wide-network elements ..... 56  |
| 4.5.2.4          | NATO-network elements ..... 56  |
| 4.5.3            | Military enhancements to commercial data<br>communications protocols and standards ..... 56 |
| 4.5.3.1          | Multihomed and mobile host systems ..... 58   |
| 4.5.3.2          | Multi-endpoint connections (multi-addressing) ... 58  |
| 4.5.3.3          | Internetworking ..... 58  |
| 4.5.3.4          | Network and system management ..... 58  |
| 4.5.3.5          | Security ..... 58   |
| 4.5.3.6          | Quality-of-service ..... 58   |
| 4.5.3.7          | Precedence and preemption ..... 58  |
| 4.5.3.8          | Real-time and tactical communications ..... 59  |
| 4.5.4            | Functional profiles ..... 59  |
| 5.               | DETAILED REQUIREMENTS ..... 61  |
| 5.1              | Standards for reference point A ..... 61  |
| 5.1.1            | ISDN-terminal to base information transfer<br>system ..... 61                               |
| 5.1.1.1          | Layer 1 (the physical layer) ..... 61   |

**MIL-STD-187-700**  
**1 JUNE 1992**

**CONTENTS**

| <u>PARAGRAPH</u> | <u>PAGE</u>   |    |
|------------------|---|----|
| 5.1.1.1.1        | Physical characteristics .....                            | 61 |
| 5.1.1.1.2        | Transmission method .....                                 | 61 |
| 5.1.1.1.3        | Functional characteristics .....                          | 61 |
| 5.1.1.1.4        | Electrical characteristics .....                          | 61 |
| 5.1.1.2          | Layer 2 (the data link layer) .....                       | 62 |
| 5.1.1.2.1        | Signaling channel (the D-channel) .....                   | 62 |
| 5.1.1.2.2        | Signaling in the bearer channel .....                     | 62 |
| 5.1.1.3          | Layer 3 (the network layer) .....                         | 62 |
| 5.1.1.3.1        | Circuit-switched connections .....                        | 62 |
| 5.1.1.3.2        | DSN features .....  | 63 |
| 5.1.1.3.3        | Packet-switched connections .....                         | 64 |
| 5.1.2            | Terminal-equipment to tactical-network<br>interface ..... | 64 |
| 5.1.2.1          | Tactical circuit-switched connections .....               | 64 |
| 5.1.2.1.1        | Layer 1 (the physical layer) .....                        | 64 |
| 5.1.2.1.2        | Layer 2 (the data link layer) .....                       | 65 |
| 5.1.2.1.3        | Layer 3 (the network layer) .....                         | 65 |
| 5.1.2.2          | Tactical packet-switched connections .....                | 65 |
| 5.1.2.2.1        | Layer 1 .....   | 65 |
| 5.1.2.2.2        | Layer 2 .....   | 65 |
| 5.1.2.2.3        | Layer 3 .....   | 65 |
| 5.1.3            | Net-radio-terminal to tactical-network<br>interface ..... | 65 |
| 5.1.3.1          | Circuit-switched connections .....                        | 66 |
| 5.1.3.2          | Packet-switched data .....                                | 66 |
| 5.2              | Standards for reference point B .....                     | 66 |
| 5.2.1            | ISDN base-level interface to reference<br>point B .....   | 66 |
| 5.2.1.1          | Layer 1 .....   | 66 |
| 5.2.1.2          | Layer 2 .....   | 70 |
| 5.2.1.3          | Layer 3 .....   | 70 |
| 5.2.2            | Tactical network interface to reference<br>point B .....  | 71 |
| 5.2.2.1          | Layer 1 .....   | 71 |
| 5.2.2.2          | Layer 2 .....   | 71 |
| 5.2.2.3          | Layer 3 .....   | 71 |
| 5.2.3            | Wide-network interface to reference point B .....         | 71 |
| 5.2.4            | Gateway functions .....                                   | 71 |
| 5.2.4.1          | Circuit-switch-signaling message conversion .....         | 71 |
| 5.2.4.1.1        | Call initiation phase .....                               | 72 |
| 5.2.4.1.2        | Call connection phase .....                               | 72 |
| 5.2.4.1.3        | Call release phase .....                                  | 72 |
| 5.2.4.2          | Packet switching .....                                    | 75 |
| 5.2.4.3          | Voice telephony .....                                     | 75 |

CONTENTS

| <u>PARAGRAPH</u> |   | <u>PAGE</u> |
|------------------|---|-------------|
| 5.2.4.4          | Circuit-switched data .....                     | 75          |
| 5.3              | Standards for reference point B (NATO) .....    | 75          |
| 5.3.1            | U.S.-wide-network to NATO interface .....       | 75          |
| 5.3.1.1          | Layer 1 .....                                   | 75          |
| 5.3.1.2          | Layer 2 .....                                   | 79          |
| 5.3.1.3          | Layer 3 .....                                   | 79          |
| 5.3.2            | U.S.-tactical to NATO-tactical interface .....  | 79          |
| 5.3.3            | TCP/ISO gateway .....                           | 80          |
| 5.4              | Functional profiles .....                       | 80          |
| 5.4.1            | Application profiles .....                      | 80          |
| 5.4.1.1          | File transfer, access, and management .....     | 80          |
| 5.4.1.1.1        | Limited-purpose system .....                    | 82          |
| 5.4.1.1.2        | Full-purpose system .....                       | 82          |
| 5.4.1.1.3        | Virtual filestore .....                         | 82          |
| 5.4.1.1.3.1      | File attributes .....                           | 83          |
| 5.4.1.1.3.2      | Activity attributes .....                       | 83          |
| 5.4.1.1.4        | Application layer .....                         | 84          |
| 5.4.1.1.4.1      | Office document architecture .....              | 84          |
| 5.4.1.1.4.2      | FTAM service elements .....                     | 84          |
| 5.4.1.1.4.3      | Association control service elements .....      | 84          |
| 5.4.1.1.5        | Presentation layer .....                        | 86          |
| 5.4.1.1.5.1      | Abstract syntax .....                           | 86          |
| 5.4.1.1.5.2      | Presentation services .....                     | 86          |
| 5.4.1.1.6        | Session layer .....                             | 86          |
| 5.4.1.1.6.1      | Kernel .....                                    | 87          |
| 5.4.1.1.6.2      | Resynchronization .....                         | 87          |
| 5.4.1.1.6.3      | Minor synchronization .....                     | 87          |
| 5.4.1.2          | Military Message-Handling System (MMHS) .....   | 87          |
| 5.4.1.2.1        | Military Messaging Service (MMS) .....          | 87          |
| 5.4.1.2.2        | Electronic Data Interchange (EDI) service ..... | 87          |
| 5.4.1.3          | Directory services .....                        | 87          |
| 5.4.1.4          | Virtual terminal .....                          | 88          |
| 5.4.2            | Transport profiles .....                        | 89          |
| 5.4.2.1          | Connection-oriented transport service .....     | 89          |
| 5.4.2.1.1        | Transport service .....                         | 89          |
| 5.4.2.1.2        | Transport protocols .....                       | 90          |
| 5.4.2.1.3        | Security protocol .....                         | 90          |
| 5.4.2.2          | Supporting networks .....                       | 91          |
| 5.4.2.2.1        | Network addressing .....                        | 91          |
| 5.4.2.2.2        | Connectionless network .....                    | 92          |
| 5.4.2.2.2.1      | Network service .....                           | 92          |
| 5.4.2.2.2.2      | Newtork protocols .....                         | 92          |
| 5.4.2.2.2.3      | Link service .....                              | 93          |
| 5.4.2.2.2.3.1    | Logical link control .....                      | 93          |

**MIL-STD-187-700**  
**1 JUNE 1992**

**CONTENTS**

| <u>PARAGRAPH</u> |  | <u>PAGE</u> |
|------------------|--|-------------|
| 5.4.2.2.2.3.2    | Media access control .....                       | 93          |
| 5.4.2.2.3        | Connection-oriented network .....                | 93          |
| 5.4.2.2.3.1      | Network service .....                            | 94          |
| 5.4.2.2.3.2      | Network protocols .....                          | 94          |
| 5.4.2.2.3.3      | Data link service .....                          | 94          |
| 5.4.2.2.3.4      | Data link protocols .....                        | 94          |
| 5.4.2.2.3.5      | Physical layer .....                             | 94          |
| 5.5              | Subscriber network elements .....                | 95          |
| 5.5.1            | Direct access .....                              | 95          |
| 5.5.1.1          | Voice .....                                      | 95          |
| 5.5.1.2          | Data .....                                       | 95          |
| 5.5.1.3          | Facsimile .....                                  | 95          |
| 5.5.1.4          | Video .....                                      | 95          |
| 5.5.1.5          | High-definition television .....                 | 96          |
| 5.5.2            | Mobile access .....                              | 96          |
| 5.5.2.1          | Wireless subscriber loop service .....           | 96          |
| 5.5.2.2          | Wireless PBX service .....                       | 96          |
| 5.5.2.3          | Cellular digital mobile radio service .....      | 96          |
| 5.5.2.4          | Digital mobile satellite service .....           | 96          |
| 5.5.2.5          | Tactical digital radio network service .....     | 97          |
| 5.5.3            | Universal access .....                           | 97          |
| 5.5.3.1          | Universal mobile telecommunications system ..... | 97          |
| 5.5.3.2          | Personal telecommunications service .....        | 97          |
| 5.5.4            | Indirect access .....                            | 97          |
| 5.5.4.1          | Local area network .....                         | 97          |
| 5.5.4.2          | Bridges .....                                    | 98          |
| 5.5.4.2.1        | Transparent-spanning-tree bridge .....           | 98          |
| 5.5.4.2.2        | Source routing bridge .....                      | 98          |
| 5.6              | Broadband service support .....                  | 98          |
| 5.6.1            | The transport digital hierarchy .....            | 99          |
| 5.6.1.1          | Synchronous Optical Network .....                | 99          |
| 5.6.1.1.1        | Rates .....                                      | 99          |
| 5.6.1.1.2        | Frame format .....                               | 99          |
| 5.6.1.1.3        | Services .....                                   | 101         |
| 5.6.1.1.3.1      | Management .....                                 | 101         |
| 5.6.1.1.4        | Interworking support .....                       | 101         |
| 5.6.1.2          | The Synchronous Digital Hierarchy .....          | 101         |
| 5.6.1.2.1        | Rates .....                                      | 101         |
| 5.6.1.2.2        | Frame format .....                               | 102         |
| 5.6.1.2.3        | Services .....                                   | 102         |
| 5.6.1.2.4        | Management .....                                 | 102         |
| 5.6.2            | Metropolitan area networks .....                 | 102         |
| 5.6.2.1          | Services .....                                   | 102         |
| 5.6.2.2          | Rates .....                                      | 105         |

CONTENTS

| <u>PARAGRAPH</u> | <u>PAGE</u> |
|------------------|-------------|
| 5.6.2.3          | 105         |
| 5.6.2.3.1        | 105         |
| 5.6.2.4          | 105         |
| 5.6.2.5          | 107         |
| 5.6.2.5.1        | 107         |
| 5.6.2.5.2        | 107         |
| 5.6.2.5.2.1      | 107         |
| 5.6.2.5.2.2      | 107         |
| 5.6.2.5.2.3      | 107         |
| 5.6.3            | 107         |
| 5.6.3.1          | 107         |
| 5.6.3.1.1        | 108         |
| 5.6.3.2          | 108         |
| 5.6.3.2.1        | 108         |
| 5.6.3.2.2        | 108         |
| 5.6.3.3          | 108         |
| 5.6.3.3.1        | 111         |
| 5.6.3.3.2        | 111         |
| 5.6.3.4          | 111         |
| 5.6.3.4.1        | 112         |
| 5.6.3.5          | 112         |
| 5.6.3.5.1        | 112         |
| 4.5.3.5.2        | 112         |
| 5.6.4.6.2.1      | 112         |
| 5.6.4.5.2.2      | 113         |
| 5.6.4            | 113         |
| 5.6.4.1          | 113         |
| 5.6.4.2          | 114         |
| 5.6.4.3          | 114         |
| 5.6.4.4          | 114         |
| 5.6.4.5          | 114         |
| 5.7              | 116         |
| 5.7.1            | 116         |
| 5.7.2            | 116         |
| 5.7.2.1          | 116         |
| 5.7.2.2          | 119         |
| 5.7.2.3          | 119         |
| 5.7.3            | 121         |
| 5.7.3.1          | 121         |
| 5.7.3.2          | 122         |
| 5.7.3.3          | 122         |
| 5.7.3.4          | 125         |
| 5.7.3.5          | 125         |

**MIL-STD-187-700**  
**1 JUNE 1992**

**CONTENTS**

| <u>PARAGRAPH</u> |   | <u>PAGE</u> |
|------------------|---|-------------|
| 5.7.4            | Managed objects .....                           | 126         |
| 5.7.4.1          | Management information base .....               | 126         |
| 5.7.4.2          | Object definition .....                         | 126         |
| 5.7.4.3          | Interworking objects .....                      | 127         |
| 5.7.5            | Security considerations .....                   | 127         |
| 5.7.5.1          | SMAF execution .....                            | 127         |
| 5.7.5.2          | Access to managed objects .....                 | 127         |
| 5.8              | Performance standards .....                     | 128         |
| 5.8.1            | Hypothetical reference circuits .....           | 128         |
| 5.8.2            | Hypothetical reference connections .....        | 128         |
| 5.8.2.1          | Wide-network segments .....                     | 129         |
| 5.8.2.2          | Error-free-second ratio allocation .....        | 129         |
| 5.8.3            | Wide networks .....                             | 129         |
| 5.8.4            | Tactical networks .....                         | 131         |
| 5.8.5            | Subscriber networks .....                       | 131         |
| 5.9              | Numbering plans .....                           | 135         |
| 5.9.1            | Circuit-switched trunks .....                   | 135         |
| 5.9.1.1          | International access prefix .....               | 135         |
| 5.9.1.2          | Area codes .....                                | 136         |
| 5.9.1.3          | Subscriber telephone numbers .....              | 136         |
| 5.9.2            | Packet-switched trunks .....                    | 136         |
| 5.9.3            | Digit capacity for international systems .....  | 136         |
| 5.9.4            | Subaddressing (network address extension) ..... | 136         |

**MIL-STD-187-700**  
1 JUNE 1992

**CONTENTS**

| <u>FIGURE</u> |   | <u>PAGE</u> |
|---------------|---|-------------|
| 4.1           | DIS framework .....   | 42          |
| 4.2           | Typical DIS network elements (ATM not shown) .....                                | 55          |
| 4.3           | Typical DIS interface with NATO network<br>elements .....                         | 57          |
| 5.1           | Frame format for a 1.544-Mbps signal .....  | 68          |
| 5.2           | Call initiate and connection phase signaling .....                                | 73          |
| 5.3           | Call release phase signaling .....  | 74          |
| 5.4           | Frame format for a 2.048-Mbps signal .....  | 77          |
| 5.5           | Functional profiles .....   | 81          |
| 5.6           | SONET STS-M frame format .....  | 100         |
| 5.7           | CCITT STM-N frame format .....  | 103         |
| 5.8           | IEEE 802.6 layer referene model .....   | 104         |
| 5.9           | Notional IEEE 802.6 interworking network<br>architecture .....                    | 106         |
| 5.10          | ATM cell structure .....  | 109         |
| 5.11          | The ATM protocol reference model .....  | 110         |
| 5.12          | Frame format for frame relay mode .....   | 115         |
| 5.13          | Overview of the DIS network management<br>scenario .....                          | 117         |
| 5.14          | Typical intrabase distributed-hierachial<br>network management architecture ..... | 118         |
| 5.15          | TBD .....   | 120         |
| 5.16          | HRCs for wide networks .....  | 130         |
| 5.17          | HRC for tactical networks based on LOS<br>radio links .....                       | 132         |
| 5.18          | HRC for tactical networks based on LOS and<br>tropo radio links .....             | 133         |
| 5.19          | HRC for tactical networks interconnected<br>by wide-network elements .....        | 134         |

**MIL-STD-187-700**  
**1 JUNE 1992**

**CONTENTS**

| <u>TABLE</u> |  | <u>PAGE</u> |
|--------------|--|-------------|
| I            | Messages for circuit-switched connection control .....                         | 63          |
| II           | Messages for packet-switched connection control .....                          | 63          |
| III          | F-bit signal format .....  | 69          |
| IV           | Allocation of frame bits 1 to 8 .....  | 78          |
| V            | Relationship between FTAM functions and service classes .....                  | 85          |
| VI           | AFI values .....   | 91          |
| VII          | SONET rates (Mbps) .....   | 99          |
| VIII         | CCITT Recommendation G.707 rates (Mbps) .....                                  | 101         |
| IX           | Reference segments for wide-network segments ...                               | 129         |
| X            | Error-free-second ratio allocation .....                                       | 129         |
| XI           | Operational bit error ratios for HRCs that use tactical network elements ..... | 131         |
| XII          | Operational error rates for HRCs that use subscriber network elements .....    | 135         |

| <u>APPENDIX</u> |   | <u>PAGE</u> |
|-----------------|---|-------------|
| APPENDIX A      | CONVERSION BETWEEN THE TCP AND ISO TRANSPORT PROTOCOLS AS A METHOD OF ACHIEVING INTEROPERABILITY BETWEEN DATA COMMUNICATION SYSTEMS ..... | 137         |
| APPENDIX B      | REQUEST FOR COMMENTS: RFC 1006 ISO TRANSPORT SERVICE ON TOP OF THE TCP VERION:3 .....   | 149         |
| APPENDIX C      | REQUEST FOR COMMENTS: RFC 1006 ISO -- TPO BRIDGE BETWEEN TCP AND X.25 .....   | 169         |
| APPENDIX D      | DSN NO. 7 COMMON CHANNEL SIGNALING .....  | 181         |
|                 | KEY WORD LISTING .....  | 215         |
|                 | CONCLUDING MATERIAL .....   | 217         |